

PhytoLab GmbH & Co. KG Dutendorfer Straße 5-7 91487 Vestenbergsgreuth

Your contact at PhytoLab:
Reference Substances
Tel.: +49 9163 88-395
ref-substances@phytolab.de
<https://phyproof.phytolab.com>

Certificate of analysis

Article: 85728 Cyanidin 3-(6"-malonylglucoside)
 Material batch: 15908
 Sample-ID: 288222
 End of analysis: 10/2025
 Expiry date: 10/2030

Test	Unit	Specified value	Testresult
Appearance, SOP 100005	powder	conform	
Color, SOP 100006	dark purple	conform	
Identification (UV spectrum from HPLC-DAD analysis) according to specification, SOP 204311	conform	conform	
Identification (1H-NMR-spectroscopy), (outsourced), SOP 206010	conform	conform	
Identification (13C-NMR-spectroscopy), (outsourced), SOP 206020	conform	conform	
Identification (IR-spectroscopy, Ph.Eur. 10.3, 2.2.24 / USP43 NF37 <197>), SOP 206000	conform	conform	
Cyanidin 3-(6"-malonylglucoside) (HPLC), method 1 (% AU), SOP 442147	%	≥ 90.00	96.50
Peakpurity, (HPLC), SOP 401367	conform	conform	
Chloride (argentometric titration), No. 400897 (double analysis, outsourced)	%		1.91
Mean value			

Certificate of analysis

Article: 85728 Cyanidin 3-(6"-malonylglucoside)
Material batch: 15908

Test	Unit	Specified value	Testresult

Vestenbergsgreuth, 02/Oct/2025

Laura Schnell

QC Reference Substances

This is a computer print and valid without signature. A signed certificate of analysis can be taken on request.

Certificate of analysis

Article:

85728 Cyanidin 3-(6"-malonylglucoside)

Material batch:

15908

Further information:

Shelf life/stability: The stated expiry date applies when the reference substance is stored in the original unopened container within the specified temperature range. PhytoLab does not guarantee the stability of the reference substance once the vial has been opened.

Long-term storage and handling: The reference standard should be stored in the original unopened vial, protected against light and humidity in an airtight container, within the temperature range given on the label and accompanying data sheet. If stored below room temperature, the vial should be warmed up to room temperature in a desiccator before it is opened in order to avoid condensation of humidity. The user assumes responsibility for deciding how previously opened reference standard vials should be used and the user must ensure that the contents of opened vials are still suitable for their intended use.

Exact weight: the exact weight of each vial is given on the label of the inner vial to two decimal places. This information may be used to produce stock solutions of a known concentration without having to weigh in the reference substance again. If used for this purpose, the content of the vial must be quantitatively transferred to a volumetric flask and filled up to the required level. Please note that PhytoLab is unable to guarantee the stability of the reference standard in solution.

Intended use: this reference standard is solely intended for laboratory analytical purposes, research & development, and scientific teaching and training purposes. It may not be used for any other purpose and particularly not for use in, or the production of, food, animal feed, human or veterinary drugs, cosmetics, medicinal products or diagnostic agents, including in-vitro diagnostic agents. PhytoLab is unable to guarantee the suitability of this reference standard for any particular application other than its qualitative and quantitative use in chromatography and identification testing.

Further information about this reference standard can be found on the accompanying data sheet or in our webshop. Spectral and chromatographic data, and a description of the applied chromatographic method, are provided in the attachments to this COA. A detailed explanation of all data given on the COA can be found in the guide that is available from the download area in our webshop, where you can also download all of the safety data sheets.