

PhytoLab GmbH & Co. KG Dutendorfer Str. 5-7 91487 Vestenbergsgreuth

PhytoLab GmbH & Co. KG
Dutendorfer Straße 5 - 7
91487 Vestenbergsgreuth

PhytoLab GmbH & Co. KG
Dutendorfer Str. 5-7
91487 Vestenbergsgreuth
Germany
Contact:
phyproof® Reference Substances
Tel: +49(0)9163/88-395
Fax: +49(0)9163/88-456
ref-substances@phytolab.de
<https://phyproof.phytolab.com>
Date: 8.07.21

Cust.No: 96888

Certificate of analysis

Report-No.: 118521587-99 002
Batch: 8395
Article: 80450 Eupaitin 3-galactoside
Manufacturing date: 07/2021
Expiry date: 07/2026

Test	Unit	Limit	Testresult
Appearance, SOP 100005		powder	Conform
Color, SOP 100006		white-yellowish	Conform
Solubility, SOP 105001:			Conform
Methanol		soluble	Conform
Water		insoluble	Conform
DMSO		soluble	Conform
Identification (HPLC-HR/MS), SOP 204125		Conform	Conform
Identification (UV spectrum from HPLC-DAD analysis) according to specification, SOP 204311		Conform	Conform
Identification (IR-spectroscopy, Ph.Eur. 10.3, 2.2.24)/USP 43 NF 37 <197>), SOP 206000		Conform	Conform
Peakpurity, (HPLC), SOP 401367		Conform	Conform
Eupaitin 3-galactoside (HPLC), method 1 (% AU), SOP 441133	%	>= 90.00	99.35

Further information:

Shelf life/stability: PhytoLab certifies that this reference standard will fulfill the specifications outlined in this COA until the expiry date, as long as the reference substance is stored in the original unopened vial within the recommended temperature range. PhytoLab is no longer able to guarantee the stability of the reference standard once the vial has been opened.

Long-term storage and handling: the reference standard should be stored in the original unopened vial, protected against light and humidity in an airtight container, within the temperature range given on the label and accompanying data sheet. If stored below room temperature, the vial should be warmed up to room temperature in a desiccator before it is opened in order to avoid condensation of humidity. The user assumes responsibility for deciding how previously opened reference standard vials should be used and the user must ensure that the contents of opened vials are still suitable for their intended use.

Certificate of analysis

Report-No.: 118521587 - 99 002
Batch: 8395
Article: 80450 Eupalitin 3-galactoside

Test	Unit	Limit	Testresult
------	------	-------	------------

Exact weight: the exact weight of each vial is given on the label of the inner vial to two decimal places. This information may be used to produce stock solutions of a known concentration without having to weigh in the reference substance again. If used for this purpose, the content of the vial must be quantitatively transferred to a volumetric flask and filled up to the required level. Please note that PhytoLab is unable to guarantee the stability of the reference standard in solution.

Intended use: this reference standard is solely intended for laboratory analytical purposes, research & development, and scientific teaching and training purposes. It may not be used for any other purpose and particularly not for use in, or the production of, food, animal feed, human or veterinary drugs, cosmetics, medicinal products or diagnostic agents, including in-vitro diagnostic agents. PhytoLab is unable to guarantee the suitability of this reference standard for any particular application other than its qualitative and quantitative use in chromatography and identification testing.

Further information about this reference standard can be found on the accompanying data sheet or in our webshop. Spectral and chromatographic data, and a description of the applied chromatographic method, are provided in the attachments to this COA. A detailed explanation of all data given on the COA can be found in the guide that is available from the download area in our webshop, where you can also download all of the safety data sheets.

Vestenbergsgreuth, 8.07.21

Dr. Jan Glaser
Manager Reference Substances

This is a computer print and valid without signature. A signed certificate of analysis can be taken on request.