



PhytoLab GmbH & Co. KG Dutendorfer Str. 5-7 91487 Vestenbergsgreuth

PhytoLab GmbH & Co. KG
Dutendorfer Straße 5 - 7
91487 VestenbergsgreuthPhytoLab GmbH & Co. KG
Dutendorfer Str. 5-7
91487 Vestenbergsgreuth
Germany

Contact:

phyproof@ Reference Substances

Tel: +49(0)9163/88-395

Fax: +49(0)9163/88-456

ref-substances@phytolab.de

Date: 11.12.19

Cust.No: 96888

Certificate of analysisReport-No.: ~~95281060~~ 99-002
Batch: 5288
Article: 82553 Gossypetin 3,3',8-trimethylether

Test	Unit	Limit	Testresult
Appearance, SOP 100005		powder	Conform
Color, SOP 100006		white	Conform
Solubility, SOP 105001:			Conform
Methanol		soluble	Conform
Water		slightly soluble	Conform
Identification (HPLC-MS/MS), SOP 204120		Conform	Conform
Identification (IR-spectroscopy, Ph.Eur. 9.0, 2.2.24)/USP 42 NF 37 <197>), SOP 206000		Conform	Conform
Identification (1H-NMR-spectroscopy), (outsourced), SOP 206010		Conform	Conform
Identification (13C-NMR-spectroscopy), (outsourced), SOP 206020		Conform	Conform
Peakpurity, (HPLC), SOP 401367		Conform	Conform
Gossypetin 3-3'-8-trimethylether (HPLC), method 1 (% AU), SOP 440588	%	>= 95.00	99.73

Assessment:

The above mentioned reference substance meets the specification.

The chromatographic purity is checked regularly: the last analysis has been performed in December 2019.

The reference substance cannot be documented with an expiry date. The pack is closed and is recommended to be stored as indicated. The unopened product is guaranteed to fulfill the specifications of this analytical report for a period of 60 months. Once opened we can no longer guarantee the stability of the material.



Certificate of analysis

Report-No.: 95281060 - 99 002
Batch: 5288
Article: 82553 Gossypetin 3,3',8-trimethylether

Test	Unit	Limit	Testresult
------	------	-------	------------

Vestenbergsreuth, 11.12.19

Dr. Jan Glaser
Manager Reference Substances

This is a computer print and valid without signature. A signed certificate of analysis can be taken on request.

Example only