

Your contact at PhytoLab:  
 Reference Substances  
 Tel.: +49 9163 88-395  
 ref-substances@phytolab.de  
 https://phyproof.phytolab.com

## Certificate of analysis

Article: 80666 L-Aspartic acid  
 Material batch: 2744  
 Sample-ID: 139573  
 End of analysis: 04/2024  
 Expiry date: 04/2029

| Test                                                                                                                        | Unit | Specified value | Testresult |
|-----------------------------------------------------------------------------------------------------------------------------|------|-----------------|------------|
| Appearance, SOP 100005                                                                                                      |      | powder          | conform    |
| Color, SOP 100006                                                                                                           |      | white           | conform    |
| Identification (UV spectrum from HPLC-DAD analysis) according to specification, SOP 204311                                  |      | conform         | conform    |
| Identification (1H-NMR-spectroscopy), (outsourced), SOP 206010                                                              |      | conform         | conform    |
| Identification (13C-NMR-spectroscopy), (outsourced), SOP 206020                                                             |      | conform         | conform    |
| Identification (HPLC-MS/MS), SOP 204120                                                                                     |      | conform         | conform    |
| Identification (IR-spectroscopy, Ph.Eur. 10.3, 2.2.24 / USP43 NF37 <197>), SOP 206000                                       |      | conform         | conform    |
| Purity test (TLC), SOP 211458                                                                                               |      | conform         | conform    |
| Water content, (micro determination, coulometric titration), Ph.Eur. 10.0., 2.5.32, SOP 304291 Vers. 2018-01:<br>Mean value | %    |                 | <0.2       |

## Certificate of analysis

Article: 80666 L-Aspartic acid  
 Material batch: 2744

| Test                                                                                                                                    | Unit | Specified value | Testresult |
|-----------------------------------------------------------------------------------------------------------------------------------------|------|-----------------|------------|
| Amino acids (HPLC), multi-method, SOP 442437:<br>L-Aspartic acid                                                                        | %    | ≥ 98.00         | 100.00     |
| Peakpurity, (HPLC), SOP 401367                                                                                                          |      | conform         | conform    |
| Inorganic impurities, (ICP-MS), for reference sub-<br>stances, SOP 811701:<br>Calcium                                                   | %    |                 | <0.1       |
| Potassium                                                                                                                               | %    |                 | <0.1       |
| Magnesium                                                                                                                               | %    |                 | <0.1       |
| Sulfur                                                                                                                                  | %    |                 | <0.1       |
| Sodium                                                                                                                                  | %    |                 | <0.1       |
| Phosphorus                                                                                                                              | %    |                 | <0.1       |
| Aluminium                                                                                                                               | %    |                 | <0.1       |
| Residual solvents, (headspace-GC), SOP 805765:                                                                                          | %    |                 |            |
| Residual solvents (LOQ: 0.050)                                                                                                          |      |                 | <0.050     |
| Content, SOP 890000, calculated in (%): (100 - water -<br>residual solvents - inorganic impurities) x chromato-<br>graphic purity / 100 | %    |                 | 100        |

This PhytoLab phyproof© reference standard is by definition a primary reference standard and does not need to be qualified against any other reference standard. The identity of the reference standard has been substantiated by at least two independent analytical methods such as IR, NMR, UV or MS analysis. A mass balance approach, which takes chromatographic purity into account, as well as the contents of water, residual solvents, inorganic impurities, and the counter ion (if the reference standard is present as a salt) is applied in the calculation of the absolute purity as given in this COA (see description of SOP 8900XX).

## Certificate of analysis

Article: 80666 L-Aspartic acid  
Material batch: 2744

The absolute purity value (and not just the chromatographic purity result obtained by means of HPLC or GC) must be used in all quantitative calculations as the chromatographic techniques do not yet account for water, residual solvents and inorganic impurities.

Vestenbergsgreuth, 25/Apr/2024

Sibylle Friess

### QC Reference Substances

This is a computer print and valid without signature. A signed certificate of analysis can be taken on request.

## Certificate of analysis

Article: 80666 L-Aspartic acid  
Material batch: 2744

Further information:

**Shelf life/stability:** The stated [expiry](#) date applies when the reference substance is stored in the original unopened container within the specified temperature range. PhytoLab does not guarantee the stability of the reference substance once the vial has been opened.

**Long-term storage and handling:** The reference standard should be stored in the original unopened vial, protected against light and humidity in an airtight container, within the temperature range given on the label and accompanying data sheet. If stored below room temperature, the vial should be warmed up to room temperature in a desiccator before it is opened in order to avoid condensation of humidity. The user assumes responsibility for deciding how previously opened reference standard vials should be used and the user must ensure that the contents of opened vials are still suitable for their intended use.

**Exact weight:** the exact weight of each vial is given on the label of the inner vial to two decimal places. This information may be used to produce stock solutions of a known concentration without having to weigh in the reference substance again. If used for this purpose, the content of the vial must be quantitatively transferred to a volumetric flask and filled up to the required level. Please note that PhytoLab is unable to guarantee the stability of the reference standard in solution.

**Intended use:** this reference standard is solely intended for laboratory analytical purposes, research & development, and scientific teaching and training purposes. It may not be used for any other purpose and particularly not for use in, or the production of, food, animal feed, human or veterinary drugs, cosmetics, medicinal products or diagnostic agents, including in-vitro diagnostic agents. PhytoLab is unable to guarantee the suitability of this reference standard for any particular application other than its qualitative and quantitative use in chromatography and identification testing.

**Further information** about this reference standard can be found on the accompanying data sheet or in our webshop. Spectral and chromatographic data, and a description of the applied chromatographic method, are provided in the attachments to this COA. A detailed explanation of all data given on the COA can be found in the guide that is available from the download area in our webshop, where you can also download all of the safety data sheets.