

PhytoLab GmbH & Co. KG Dutendorfer Str. 5-7 91487 Vestenbergsgreuth

PhytoLab GmbH & Co. KG  
Dutendorfer Straße 5 - 7  
91487 Vestenbergsgreuth

PhytoLab GmbH & Co. KG  
Dutendorfer Str. 5-7  
91487 Vestenbergsgreuth  
Germany  
Contact:

phyproof® Reference Substances  
Tel: +49(0)9163/88-395  
Fax: +49(0)9163/88-456  
ref-substances@phytolab.de

Date: 15.01.20

Cust.No: 96888

### Certificate of analysis

Report-No.: 95915528 / 99-002  
Batch: 1976  
Article: 89812 Triptonide

Test	Unit	Limit	Testresult
Appearance, SOP 100005		powder	Conform
Color, SOP 100006		white-beige	Conform
Solubility, SOP 105001: Chloroform		soluble	Conform Conform
Identification (IR-spectroscopy, Ph.Eur. 9.0, 2.2.24)/USP 42 NF 37 <197>), SOP 206000		Conform	Conform
Identification (1H-NMR-spectroscopy), (outsourced), SOP 206010		Conform	Conform
Identification (13C-NMR-spectroscopy), (outsourced), SOP 206020		Conform	Conform
Water content, (micro determination, coulometric titration), Ph.Eur. 10.0., 2.5.32, SOP 304291: Mean value	%		< 0.2
Triptonide, (HPLC), method 1 (% AU), SOP 400851	%	>= 98.00	99.47
Peakpurity, (HPLC), SOP 401367		Conform	Conform
Residual solvents, (headspace-GC), SOP 805765: Residual solvents	%		< 0.05

**Certificate of analysis**

Report-No.: 95915523 - 99 002  
 Batch: 1976  
 Article: 89812 Triptonide

Test	Unit	Limit	Testresult
Inorganic impurities, (ICP-MS), for reference substances, SOP 811701			
Sodium	%	< 0.1	< 0.1
Potassium	%	< 0.1	< 0.1
Magnesium	%	< 0.1	< 0.1
Calcium	%	< 0.1	< 0.1
Aluminium	%	< 0.1	< 0.1
Phosphorus	%	< 0.1	< 0.1
Sulfur	%	< 0.1	< 0.1
Content*, SOP 890000	%		99

**Assessment:**

The above mentioned reference substance meets the specification.

\*The absolute content is calculated considering the chromatographic purity, and if available, the content of water, residual solvents and inorganic impurities according to the following formula:  

$$\text{Content} = (100\% - \text{water content (\%)} - \text{residual solvents (\%)} - \text{inorganic impurities (\%)}) \times \text{chromatographic purity (\%)} / 100.$$

The chromatographic purity is checked regularly: the last analysis has been performed in December 2019.

The reference substance cannot be documented with an expiry date. The pack is closed and is recommended to be stored as indicated. The unopened product is guaranteed to fulfill the specifications of this analytical report for a period of 60 months. Once opened we can no longer guarantee the stability of the material.

Vestenbergsreuth, 15.01.20

Dr. Jan Glaser  
 Manager Reference Substances

This is a computer print and valid without signature. A signed certificate of analysis can be taken on request.